


FIG.1



**FIG. 2**




FIG.3




FIG.4




FIG.5




FIG.6

FUNCTION	MODE (RESOLUTION IN dpi)	SET MOVING VELOCITY Vm (mm/sec)	DECELERATION READING O YES X NO	NUMBER OF STEPS REQUIRED FOR DECELERATION (steps)	REQUIRED DECELERATION DISTANCE Ls (mm)
SCANNER	200X200	1 2 0	O	1 6 1	6.816
	300X300	8 0	O	7 2	3.048
	600X600	4 0	X	1 9	0.804
	1200X1200	2 0	X	5	0.212
SCANNER	200X200	7 2	X	5 1	2.159
	300x300	4 8	X	2 3	0.974
	600x600	1 2	X	2	0.085
	1200x1200	6	X	1	0.042
COPY		1 2 0	O	1 6 1	6.816
FACSIMILE	STANDARD	1 2 0	O	1 6 1	6.816
	FINE	1 2 0	O	1 6 1	6.816
	PHOTOGRAPH	1 2 0	O	1 6 1	6.186
	SUPERFINE	6 0	X	4 1	1.736

FIG.7(a)




FIG.7(b)




FIG.7(c)




FIG.8






FIG. 9




FIG.10(a)




FIG.10(b)




FIG.10(c)

